

/ Doc build

Installing additional system dependencies for building documentation

```
- name: Run Ansys documentation building action
  uses: ansys/actions/doc-build@main
  with:
    dependencies: graphviz mermaid-cli
```

[Ref: Installing additional system dependencies for building documentation](#)

Building library documentation that using xvfb

```
- name: Run Ansys documentation building action
  uses: ansys/actions/doc-build@main
  with:
    requires-xvfb: true
```

[Ref: Building library documentation that using XVFB](#)

Building library documentation

```
- name: Run Ansys documentation building action
  uses: ansys/actions/doc-build@main
```

[Ref: Building library documentation](#)

/ Tests pytest

Optimized testing with different operating systems and python versions

```
- name: Login into the GitHub container registry
  uses: docker/login-action@v2.1.0
  with:
    password: ${{ secrets.GITHUB_TOKEN }}
    registry: ghcr.io
    username: ${{ secrets.GH_USERNAME }}
- env:
  LICENSE_SERVER: ${{ secrets.LICENSE_SERVER }}
  name: Pull, launch and verify desired Ansys
  service
  run: '...'
- name: Run pytest with desired markers and extra
  arguments
  uses: ansys/actions/tests-pytest@main
  with:
    pytest-extra-args: ${{ matrix.cfg.extra-args }}
    pytest-markers: ${{ matrix.cfg.markers }}
    requires-xvfb: true
```

[Ref: Optimized testing with different operating systems and Python versions](#)

Testing library with different operating systems and python versions

```
- name: Run pytest
  uses: ansys/actions/tests-pytest@main
  with:
```

```
pytest-extra-args: --cov=ansys.<library>
  --cov-report=term
  --cov-report=html:.cov/html
  pytest-markers: -k 'mocked'
```

[Ref: Testing library with different operating systems and Python versions](#)

/ Release pypi public

Release to public pypi using trusted publisher

```
- name: Release to the public PyPI repository
  using Trusted Publisher
  uses: ansys/actions/release-pypi-public@main
  with:
    library-name: ansys-<product>-<library>
    use-trusted-publisher: true
```

[Ref: Release to public PyPI using Trusted Publisher](#)

Release to public pypi

```
- name: Release to the public PyPI repository
  uses: ansys/actions/release-pypi-public@main
  with:
    library-name: ansys-<product>-<library>
    twine-token: ${{ secrets.PYPI_TOKEN }}
    twine-username: __token__
```

[Ref: Release to public PyPI](#)

/ Hk package clean untagged

Perform untagged versions cleanup

```
- name: Perform untagged versions cleanup
  uses:
    ansys/actions/hk-package-clean-untagged@main
  with:
    package-name: mypackage
    token: ${{ secrets.GITHUB_TOKEN }}
```

[Ref: Perform untagged versions cleanup](#)

/ Code style

Running code style checks

```
- name: Run PyAnsys code style checks
  uses: ansys/actions/code-style@main
```

[Ref: Running code style checks](#)

/ Doc deploy dev

Deploy developers documentation

```
- name: Deploy the latest documentation
  uses: ansys/actions/doc-deploy-dev@main
  with:
```

```
bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
cname: <library>.docs.pyansys.com
token: ${{ secrets.GITHUB_TOKEN }}
```

[Ref: Deploy developers documentation](#)

/ Branch name style

Run branch name style checks

```
- uses: ansys/actions/branch-name-style@main
```

[Ref: Run branch name style checks](#)

/ Doc deploy changelog

Update changelog for new tag

```
- uses: ansys/actions/doc-deploy-changelog@main
  with:
    bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
    bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
    token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
```

[Ref: Update CHANGELOG for new tag](#)

/ Build ci wheels

Build a c-extension library

```
- name: Build a C-extension library wheel artifacts
  uses: ansys/actions/build-ci-library@main
```

[Ref: Build a C-extension library](#)

/ Build library

Build library basic example

```
- name: Build library source and wheel artifacts
  uses: ansys/actions/build-library@main
  with:
    library-name: ansys-<product>-<library>
```

[Ref: Build library basic example](#)

/ Release pypi private

Release to private pypi

```
- name: Release to the private PyPI repository
  uses: ansys/actions/release-pypi-private@main
  with:
    library-name: ansys-<product>-<library>
    twine-token: ${{
      secrets.PYANSYS_PYPI_PRIVATE_PAT }}
    twine-username: __token__
```

[Ref: Release to private PyPI](#)

/ Docker style

Docker style

```
- uses: ansys/actions/docker-style@main
with:
  directory: docker
  error-level: 1
  recursive: true
```

Ref: [Docker style](#)

/ Build wheelhouse

Build wheelhouse for latest python versions

```
- name: Build a wheelhouse of the Python library
uses: ansys/actions/build-wheelhouse@main
with:
  library-name: <ansys-product-library>
  operating-system: ${{ matrix.os }}
  python-version: ${{ matrix.python-version }}
```

Ref: [Build wheelhouse for latest Python versions](#)

/ Check licenses

Check library dependencies ship with valid licenses

```
- name: Validate third party licenses
uses: ansys/actions/check-licenses@main
with:
  python-version: ${{ env.MAIN_PYTHON_VERSION }}
```

Ref: [Check library dependencies ship with valid licenses](#)

/ Hk package clean except

Perform versions cleanup - except certain tags

```
- name: Perform versions cleanup - except certain tags
uses: ansys/actions/hk-package-clean-except@main
with:
  package-name: mypackage
  tags-kept: latest, latest-unstable
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Perform versions cleanup - except certain tags](#)

/ Doc deploy index

Index the documentation and scrap using pymeilisearch

```
- name: Deploy the latest documentation index
uses: ansys/actions/doc-deploy-index@main
```

```
with:
  api-key: ${{ secrets.MEILISEARCH-API-KEY }}
  cname:
    <library>.docs.pyansys.com/version/<version-number>
  host-url: <meilisearch-host-url>
  index-name: <index-name>
```

Ref: [Index the documentation and scrap using pymeilisearch](#)

/ Doc style

Running documentation style checks

```
- name: Running documentation style checks
uses: ansys/actions/doc-style@main
with:
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Running documentation style checks](#)

/ Release github

Release to github

```
- name: Release to GitHub
uses: ansys/actions/release-github@main
with:
  library-name: ansys-<product>-<library>
```

Ref: [Release to GitHub](#)

/ Check vulnerabilities

Check library vulnerabilities (default mode - only on main)

```
- name: Check library vulnerabilities with default mode
uses: ansys/actions/check-vulnerabilities@main
with:
  python-package-name: ansys-<product>-<library>
  python-version: ${{ env.MAIN_PYTHON_VERSION }}
  token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
```

Ref: [Check library vulnerabilities \(default mode - only on main\)](#)

Check library vulnerabilities (development mode)

```
- name: Check library vulnerabilities with development mode
uses: ansys/actions/check-vulnerabilities@main
with:
  dev-mode: true
  python-package-name: ansys-<product>-<library>
  python-version: ${{ env.MAIN_PYTHON_VERSION }}
  token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
```

Ref: [Check library vulnerabilities \(development mode\)](#)

/ Commit style

Run commit style checks

```
- uses: ansys/actions/commit-style@main
with:
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Run commit style checks](#)

/ Doc deploy stable

Deploy stable documentation

```
- name: Deploy the stable documentation
uses: ansys/actions/doc-deploy-stable@main
with:
  bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
  bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
  cname: <library>.docs.pyansys.com
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Deploy stable documentation](#)

/ Doc changelog

Create changelog fragment

```
- uses: ansys/actions/doc-changelog@main
with:
  bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
  bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
  token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
```

Ref: [Create changelog fragment](#)

/ Release pypi test

Release to test pypi

```
- name: Release to the test PyPI repository
uses: ansys/actions/release-pypi-test@main
with:
  library-name: ansys-<product>-<library>
  twine-token: ${{ secrets.PYANSYS_PYPI_TEST_PAT }}
  twine-username: __token__
```

Ref: [Release to test PyPI](#)